

# GAGE BILT

Lockbolt and blind rivet installation tools  
Fastening solutions for the 21<sup>st</sup> century

## MARKET RELEASE

### GBP722 POWER RIVETER



- ERGONOMIC DESIGN
- LIGHTER - 5.5 lbs.
- IMPROVED HANDLE
- MORE POWER – 4800 lbs. @ 90 PSI.

REPLACES GBP713C  
LIST PRICE.....\$1022.00  
SEE REVERSE SIDE FOR  
FASTENERS/NOSES

GAGE BILT PRODUCTS CORP.

E-mail: [solutions@gagebilt.com](mailto:solutions@gagebilt.com)  
[www.gagebilt.com](http://www.gagebilt.com)

14500 Barber Dr., Warren, MI 48088  
Phone (586) 771-7664  
Fax (586) 771-2665

# GBP722 SELECTION CHART

FASTENER	DIA.	STRAIGHT		*RIGHT ANGLE ,	**OFFSET
COMMERCIAL LOCKBOLTS	3/16 1/4	LB06-713-20 LB08-713-20			
MULTIGRIP LOCKBOLTS	3/16 1/4	MG06-713-20 MG08-713-20	MG06-713-60 MG08-713-60		
"S" TYPE BLIND BOLT MS90353S, MS90354S MS21140S, MS21141S	5/32	SB05-752B-20 SB05-752B-80	SB05-752B-45	SB05-751B-54RA	SB05-752A-43OS
	3/16	SB06-752B-20 SB06-752B-80	SB06-752B-45	SB06-751B-54RA	SB06-752A-43OS
	1/4	SB08-713-20	SB08-713-45		SB08-204C-27OS    SB08-204C-37OS
"U" TYPE BLIND BOLT WITH LOCKING WASHER MS90353U & MS90354U MS21140U & MS21141U	5/32	UBB05-752B-20	UBB05-752B-45	UBB05-751B-54RA	UBB05-752A-43OS
	3/16	UBB06-752B-20	UBB06-752B-45	UBB06-751B-54RA	UBB06-752A-43OS
	1/4	UBB08-713-20	UBB08-713-45		UBB08-204C-27OS    UBB08-204C-27OS
EN6122 & UAB130-EU EN6127 & UAB6127-EU EN6128 & UAB100-EU EN6129 & UABP-EU	1/8	UAB04-752B-20	UAB04-752B-45	UAB04-751B-54RA	UAB04-752A-43OS
	5/32	UAB568-713-21 ,	UAB568-713-61 ,	UAB05-751B-54RA	UAB05-752A-43OS
	3/16			UAB06-751B-54RA	UAB06-752A-43OS
	1/4				UAB08-204C-27OS    UAB08-204C-37OS
SINGLE ACTION BLIND RIVET NAS1919S NAS1921S	1/8	SMLS04-752B-20	SMLS04-752B-45	SMLS04-751B-54RA	SMLS04-752A-43OS
	5/32	SMLS05-752B-20	SMLS05-752B-45	SMLS05-751B-54RA	SMLS05-752A-43OS
	3/16	SMLS06-752B-20	SMLS06-752B-45	SMLS06-751B-54RA	SMLS06-752A-43OS
	1/4	SMLS08-713-20	SMLS08-713-45	SMLS08-751B-54RA	SMLS08-752A-43OS ,
UNIMATE® SINGLE ACTION NAS1919U & NAS1621U NA S9301-NAS9312 BACR14FP/FR & BACR15GF/GK	1/8	UBR04-752B-20	UBR04-752B-45	UBR04-751B-54RA	UBR04-752A-43OS
	5/32	UBR05-752B-20	UBR05-752B-45	UBR05-751B-54RA	UBR05-752A-43OS
	3/16	UBR06-752B-20	UBR06-752B-45	UBR06-751B-54RA	UBR06-752A-43OS
	1/4	UBR08-713-20	UBR08-713-45		UBR08-752A-43OS ,
"A" CODE NAS1398A & NAS1399A	3/32	3A-352B-25		3A-751B-54RA	
	1/8	4A-752B-20	4A-752B-45	4A-751B-54RA	4A-752A-43OS
	5/32	5A-752B-20	5A-752B-45	5A-751B-54RA	5A-752A-43OS
	3/16	6A-752B-20	6A-752B-45	6A-751B-54RA	6A-752A-43OS
	1/4	SMLS08-713-20	SMLS08-713-45	SMLS08-751B-54RA	SMLS08-752A-43OS ,
PROTRUDING HEAD, MULTI-GRIP BLIND RIVETS	3/16	MGL06-752A-21	MGL06-752A-61	MGL06-751B-54RA	
	1/4	MGL08-752A-21	MGL08-752A-61		
COUNTERSUNK HEAD, MULTI-GRIP BLIND RIVETS	3/16	6CN-752A-21	6CN-752A-61		
	1/4	8CN-752A-21	8CN-752A-61		
MONOBOLT	3/16	MB06-752A-21	MB06-752A-61	MB06-751B-54RA	
	1/4	MB08-752A-21	MB08-752A-61		
CONTAINER BOLT(R 12) HLPP, HLP M, HLPE, HLPS HLPSC & HLP SM	3/8	HT12-713-20			
BACR15FR-FP, BACR16GF-GK, NAS1919U & 1921U, NAS9301-9312	1/8	456MAX-752B-21 ,	456MAX-752B-61 ,		456MAX-751A-43OS ,
	5/32				
	3/16				
	1/4	08MAX-752B-20	08MAX-752B-45		08MAX-204C-27OS    08MAX-204C-37OS
ASP 2, ASP PF, ASP 4 FF, ASP 2 F, ASP 2 LC	13/64	ASP06-752B-20	ASP06-752B-45	ASP06-751B-54RA	ASP06-752A-43OS
	17/64	ASP08-752B-20	ASP08-752B-45	ASP08-751B-54RA	ASP08-752A-43OS
	21/64	ASP10-713-20	ASP10-713-45		ASP10-204C-27OS    ASP10-204C-37OS
NAS1719, NAS1720 NAS1721	1/8	MBC04-752B-20	MBC04-752B-45	MBC04-751A-54RA	MBC04-752A-43OS
	5/32	MBC05-752B-20	MBC05-752B-45	MBC05-751A-54RA	MBC05-752A-43OS
	3/16	MBC06-752B-20	MBC06-752B-45	MBC06-751A-54RA	MBC06-752-A43OS
GROUND STUD, BACS53B	8/32	GS8-752B-20	GS8-752B-45	GS8-751B-54RA	GS8-752A-43OS
	10/32	GS10-752B-20	GS10-752B-45	GS10-752A-54RA	GS10-752A-43OS

**THE GAGE BILT GBP722 IS APPROVED TO INSTALL THE ABOVE FASTENERS.**

\*ALL RIGHT ANGLE NOSE ASSEMBLIES REQUIRE 722140 STROKE LIMITER

\*\*ALL OFFSET 204 SERIES NOSES REQUIRE 751204 ADAPTER

1) INSTALLS ALL THREE DIAMETERS.

2) ALUMINUM ONLY.

3) RIGHT ANGLE NOSE ASSEMBLIES MAY REQUIRE MORE THAN ONE PULL

4) INSTALLS 5/32, 3/16 & 1/4 DIAMETERS

NOTE: THE LAST 2 DIGITS OF THE NOSE ASSEMBLY REPRESENTS  
THE LENGTH THE NOSE EXTENDS FROM THE TOOL I.E. -20 = 2.0 INCHES